

## Author Index

- Andersen, H., see Dev, K.K. (49) 120  
 Angeletti, S., see Pompei, P. (49) 149  
 Aragón, C., see Poyatos, I. (49) 63
- Baez, M., see Johnson, M.P. (49) 1  
 Baldessari, S., see Guglielmetti, F. (49) 188  
 Bannon, M.J., see Burchett, S.A. (49) 95  
 Bédard, P.J., see Morissette, M. (49) 55  
 Beilharz, E.J., see Connor, B. (49) 283  
 Bender, M., Drago, J. and Rivkees, S.A.  
 D1 receptors mediate dopamine action in  
 the fetal suprachiasmatic nuclei: studies of  
 mice with targeted deletion of the D1  
 dopamine receptor gene (49) 271  
 Bendotti, C., see Guglielmetti, F. (49) 188  
 Bernal, J., see Guadaño-Ferraz, A. (49) 37  
 Betz, H., see Sakata, K. (49) 89  
 Blanchet, P.J., see Morissette, M. (49) 55  
 Bouldin, T.W., see Toews, A.D. (49) 113  
 Buckland, P.R., Marshall, R., Watkins, P. and  
 McGuffin, P.  
 Does phenylethylamine have a role in  
 schizophrenia?: LSD and PCP up-regulate  
 aromatic L-amino acid decarboxylase mRNA  
 levels (49) 266  
 Burchett, S.A. and Bannon, M.J.  
 Serotonin, dopamine and norepinephrine  
 transporter mRNAs: heterogeneity of distri-  
 bution and response to 'binge' cocaine ad-  
 ministration (49) 95  
 Butelli, E., see Guglielmetti, F. (49) 188
- Calon, F., see Morissette, M. (49) 55  
 Chew, S.L., see Jacobs, R.A. (49) 238  
 Cohen, B.M., see Ennulat, D.J. (49) 299  
 Coirini, H., Källström, L., Wiesel, F.-A. and  
 Johnson, A.E.  
 Modulation of basal ganglia neurotransmis-  
 sion by the classical antipsychotic  
 fluphenazine is due in part to the blockade  
 of dopamine D<sub>1</sub>-receptors (49) 197  
 Colbran, R.J., see Strack, S. (49) 15  
 Connor, B., Beilharz, E.J., Williams, C., Synek,  
 B., Gluckman, P.D., Faull, R.L.M. and Dra-  
 gunow, M.  
 Insulin-like growth factor-I (IGF-I)  
 immunoreactivity in the Alzheimer's dis-  
 ease temporal cortex and hippocampus (49)  
 283  
 Connor, B., Young, D., Yan, Q., Faull, R.L.M.,  
 Synek, B. and Dragunow, M.  
 Brain-derived neurotrophic factor is reduced  
 in Alzheimer's disease (49) 71
- Dahia, P.L.M., see Jacobs, R.A. (49) 238  
 Dahmen, N., see Fehr, C. (49) 278  
 Dev, K.K., Foged, C., Andersen, H., Honoré, T.  
 and Henley, J.M.  
 High-affinity binding sites for <sup>125</sup>I-labelled  
 pancreatic secretory phospholipase A<sub>2</sub> in  
 rat brain (49) 120  
 Di Paolo, T., see Morissette, M. (49) 55  
 Drago, J., see Bender, M. (49) 271  
 Dragunow, M., see Connor, B. (49) 283  
 Dragunow, M., see Connor, B. (49) 71  
 Duval, P., see Gautreau, A. (49) 157
- Ebner, F.F., see Strack, S. (49) 15  
 Ennulat, D.J. and Cohen, B.M.  
 Multiplex differential display identifies a  
 novel zinc-finger protein repressed during  
 withdrawal from cocaine (49) 299
- Faull, R.L.M., see Connor, B. (49) 283  
 Faull, R.L.M., see Connor, B. (49) 71  
 Fehr, C., Fickova, M., Hiemke, C., Reuss, S.  
 and Dahmen, N.  
 Molecular cloning of rat G-protein-coupled  
 receptor kinase 6 (*GRK6*) from brain tissue,  
 and its mRNA expression in different brain  
 regions and peripheral tissues (49) 278  
 Fickova, M., see Fehr, C. (49) 278  
 Foged, C., see Dev, K.K. (49) 120  
 Fushiki, S., see Shimada, J. (49) 295
- Gautreau, A., Duval, P. and Kerdelhué, B.  
 Variations in levels of substance P-encoding  
 $\beta$ -,  $\gamma$ -preprotachykinin and substance P re-  
 ceptor NK-1 transcripts in the rat hypothala-  
 mus throughout the estrous cycle: a correla-  
 tion between amounts of  $\beta$ -prepro-  
 tachykinin and NK-1 mRNA (49) 157  
 Gillespie, L.L., see Paterno, G.D. (49) 247  
 Giménez, C., see Poyatos, I. (49) 63  
 Gluckman, P.D., see Connor, B. (49) 283  
 Goines, N.D., see Toews, A.D. (49) 113  
 Goodrum, J.F., see Toews, A.D. (49) 113  
 Goulet, M., see Morissette, M. (49) 55  
 Grossman, A.B., see Jacobs, R.A. (49) 238  
 Guadaño-Ferraz, A., José Escámez, M., Morte,  
 B., Vargiu, P. and Bernal, J.  
 Transcriptional induction of RC3/neuro-  
 granin by thyroid hormone: differential neu-  
 ron sensitivity is not correlated with thy-  
 roid hormone receptor distribution in the  
 brain (49) 37
- Guglielmetti, F., Rattray, M., Baldessari, S.,  
 Butelli, E., Samanin, R. and Bendotti, C.  
 Selective up-regulation of protein kinase C  $\epsilon$   
 in granule cells after kainic acid-induced  
 seizures in rat (49) 188
- Hammer, M., see Strauss, K.I. (49) 175  
 Helboe, L., Møller, M., Nørregaard, L., Schiødt,  
 M. and Stidsen, C.E.  
 Development of selective antibodies against  
 the human somatostatin receptor subtypes  
 sst<sub>1</sub>–sst<sub>5</sub> (49) 82  
 Henley, J.M., see Dev, K.K. (49) 120  
 Hiemke, C., see Fehr, C. (49) 278  
 Hirabayashi, T., see Shioda, S. (47) 45  
 Honoré, T., see Dev, K.K. (49) 120  
 Hsu, C.Y., see Lin, T.N. (49) 255
- Jacobowitz, D.M., see Strauss, K.I. (49) 175  
 Jacobs, R.A., Satta, M.A., Dahia, P.L.M., Chew,  
 S.L. and Grossman, A.B.  
 Induction of nitric oxide synthase and inter-  
 leukin-1 $\beta$ , but not heme oxygenase, mes-  
 senger RNA in rat brain following periph-  
 eral administration of endotoxin (49) 238  
 Johnson, A.E., see Coirini, H. (49) 197  
 Johnson, M.P., Wainscott, D.B., Lucaites, V.L.,  
 Baez, M. and Nelson, D.L.  
 Mutations of transmembrane IV and V se-  
 ries indicate that all tryptamines do not  
 bind to the rat 5-HT<sub>2A</sub> receptor in the same  
 manner (49) 1  
 José Escámez, M., see Guadaño-Ferraz, A. (49)  
 37  
 Julien, J.-P., see Paterno, G.D. (49) 247
- Källström, L., see Coirini, H. (49) 197  
 Kang, D., see Komori, N. (49) 103  
 Kawagoe, J.-I., see Strauss, K.I. (49) 175  
 Kerdelhué, B., see Gautreau, A. (49) 157  
 Kittel, A., see Komori, N. (49) 103  
 Komori, N., Kittel, A., Kang, D., Shackelford,  
 D., Masliah, E., Zivin, J.A. and Saitoh, T.  
 Reversible ischemia increases levels of  
 Alzheimer amyloid protein precursor with-  
 out increasing levels of mRNA in the rabbit  
 spinal cord (49) 103  
 Kuźnicki, J., see Strauss, K.I. (49) 175
- Laurent, V., see Vandenbulcke, F. (49) 229  
 Lee, M., see Lin, T.N. (49) 255  
 Li, J., see Snyder, S.E. (49) 307

## Author Index

- Andersen, H., see Dev, K.K. (49) 120  
 Angeletti, S., see Pompei, P. (49) 149  
 Aragón, C., see Poyatos, I. (49) 63
- Baez, M., see Johnson, M.P. (49) 1  
 Baldessari, S., see Guglielmetti, F. (49) 188  
 Bannon, M.J., see Burchett, S.A. (49) 95  
 Bédard, P.J., see Morissette, M. (49) 55  
 Beilharz, E.J., see Connor, B. (49) 283  
 Bender, M., Drago, J. and Rivkees, S.A.  
 D1 receptors mediate dopamine action in  
 the fetal suprachiasmatic nuclei: studies of  
 mice with targeted deletion of the D1  
 dopamine receptor gene (49) 271  
 Bendotti, C., see Guglielmetti, F. (49) 188  
 Bernal, J., see Guadaño-Ferraz, A. (49) 37  
 Betz, H., see Sakata, K. (49) 89  
 Blanchet, P.J., see Morissette, M. (49) 55  
 Bouldin, T.W., see Toews, A.D. (49) 113  
 Buckland, P.R., Marshall, R., Watkins, P. and  
 McGuffin, P.  
 Does phenylethylamine have a role in  
 schizophrenia?: LSD and PCP up-regulate  
 aromatic L-amino acid decarboxylase mRNA  
 levels (49) 266  
 Burchett, S.A. and Bannon, M.J.  
 Serotonin, dopamine and norepinephrine  
 transporter mRNAs: heterogeneity of distri-  
 bution and response to 'binge' cocaine ad-  
 ministration (49) 95  
 Butelli, E., see Guglielmetti, F. (49) 188
- Calon, F., see Morissette, M. (49) 55  
 Chew, S.L., see Jacobs, R.A. (49) 238  
 Cohen, B.M., see Ennulat, D.J. (49) 299  
 Coirini, H., Källström, L., Wiesel, F.-A. and  
 Johnson, A.E.  
 Modulation of basal ganglia neurotransmis-  
 sion by the classical antipsychotic  
 fluphenazine is due in part to the blockade  
 of dopamine D<sub>1</sub>-receptors (49) 197  
 Colbran, R.J., see Strack, S. (49) 15  
 Connor, B., Beilharz, E.J., Williams, C., Synek,  
 B., Gluckman, P.D., Faull, R.L.M. and Dra-  
 gunow, M.  
 Insulin-like growth factor-I (IGF-I)  
 immunoreactivity in the Alzheimer's dis-  
 ease temporal cortex and hippocampus (49)  
 283  
 Connor, B., Young, D., Yan, Q., Faull, R.L.M.,  
 Synek, B. and Dragunow, M.  
 Brain-derived neurotrophic factor is reduced  
 in Alzheimer's disease (49) 71
- Dahia, P.L.M., see Jacobs, R.A. (49) 238  
 Dahmen, N., see Fehr, C. (49) 278  
 Dev, K.K., Foged, C., Andersen, H., Honoré, T.  
 and Henley, J.M.  
 High-affinity binding sites for <sup>125</sup>I-labelled  
 pancreatic secretory phospholipase A<sub>2</sub> in  
 rat brain (49) 120  
 Di Paolo, T., see Morissette, M. (49) 55  
 Drago, J., see Bender, M. (49) 271  
 Dragunow, M., see Connor, B. (49) 283  
 Dragunow, M., see Connor, B. (49) 71  
 Duval, P., see Gautreau, A. (49) 157
- Ebner, F.F., see Strack, S. (49) 15  
 Ennulat, D.J. and Cohen, B.M.  
 Multiplex differential display identifies a  
 novel zinc-finger protein repressed during  
 withdrawal from cocaine (49) 299
- Faull, R.L.M., see Connor, B. (49) 283  
 Faull, R.L.M., see Connor, B. (49) 71  
 Fehr, C., Fickova, M., Hiemke, C., Reuss, S.  
 and Dahmen, N.  
 Molecular cloning of rat G-protein-coupled  
 receptor kinase 6 (*GRK6*) from brain tissue,  
 and its mRNA expression in different brain  
 regions and peripheral tissues (49) 278  
 Fickova, M., see Fehr, C. (49) 278  
 Foged, C., see Dev, K.K. (49) 120  
 Fushiki, S., see Shimada, J. (49) 295
- Gautreau, A., Duval, P. and Kerdelhué, B.  
 Variations in levels of substance P-encoding  
 $\beta$ -,  $\gamma$ -preprotachykinin and substance P re-  
 ceptor NK-1 transcripts in the rat hypothala-  
 mus throughout the estrous cycle: a correla-  
 tion between amounts of  $\beta$ -prepro-  
 tachykinin and NK-1 mRNA (49) 157  
 Gillespie, L.L., see Paterno, G.D. (49) 247  
 Giménez, C., see Poyatos, I. (49) 63  
 Gluckman, P.D., see Connor, B. (49) 283  
 Goines, N.D., see Toews, A.D. (49) 113  
 Goodrum, J.F., see Toews, A.D. (49) 113  
 Goulet, M., see Morissette, M. (49) 55  
 Grossman, A.B., see Jacobs, R.A. (49) 238  
 Guadaño-Ferraz, A., José Escámez, M., Morte,  
 B., Vargiu, P. and Bernal, J.  
 Transcriptional induction of RC3/neuro-  
 granin by thyroid hormone: differential neu-  
 ron sensitivity is not correlated with thy-  
 roid hormone receptor distribution in the  
 brain (49) 37
- Guglielmetti, F., Rattray, M., Baldessari, S.,  
 Butelli, E., Samanin, R. and Bendotti, C.  
 Selective up-regulation of protein kinase C  $\epsilon$   
 in granule cells after kainic acid-induced  
 seizures in rat (49) 188
- Hammer, M., see Strauss, K.I. (49) 175  
 Helboe, L., Møller, M., Nørregaard, L., Schiødt,  
 M. and Stidsen, C.E.  
 Development of selective antibodies against  
 the human somatostatin receptor subtypes  
 sst<sub>1</sub>–sst<sub>5</sub> (49) 82  
 Henley, J.M., see Dev, K.K. (49) 120  
 Hiemke, C., see Fehr, C. (49) 278  
 Hirabayashi, T., see Shioda, S. (47) 45  
 Honoré, T., see Dev, K.K. (49) 120  
 Hsu, C.Y., see Lin, T.N. (49) 255
- Jacobowitz, D.M., see Strauss, K.I. (49) 175  
 Jacobs, R.A., Satta, M.A., Dahia, P.L.M., Chew,  
 S.L. and Grossman, A.B.  
 Induction of nitric oxide synthase and inter-  
 leukin-1 $\beta$ , but not heme oxygenase, mes-  
 senger RNA in rat brain following periph-  
 eral administration of endotoxin (49) 238  
 Johnson, A.E., see Coirini, H. (49) 197  
 Johnson, M.P., Wainscott, D.B., Lucaites, V.L.,  
 Baez, M. and Nelson, D.L.  
 Mutations of transmembrane IV and V se-  
 ries indicate that all tryptamines do not  
 bind to the rat 5-HT<sub>2A</sub> receptor in the same  
 manner (49) 1  
 José Escámez, M., see Guadaño-Ferraz, A. (49)  
 37  
 Julien, J.-P., see Paterno, G.D. (49) 247
- Källström, L., see Coirini, H. (49) 197  
 Kang, D., see Komori, N. (49) 103  
 Kawagoe, J.-I., see Strauss, K.I. (49) 175  
 Kerdelhué, B., see Gautreau, A. (49) 157  
 Kittel, A., see Komori, N. (49) 103  
 Komori, N., Kittel, A., Kang, D., Shackelford,  
 D., Masliah, E., Zivin, J.A. and Saitoh, T.  
 Reversible ischemia increases levels of  
 Alzheimer amyloid protein precursor with-  
 out increasing levels of mRNA in the rabbit  
 spinal cord (49) 103  
 Kuźnicki, J., see Strauss, K.I. (49) 175
- Laurent, V., see Vandenbulcke, F. (49) 229  
 Lee, M., see Lin, T.N. (49) 255  
 Li, J., see Snyder, S.E. (49) 307

- Lin, T.N., Te, J., Lee, M., Sun, G.Y. and Hsu, C.Y.  
Induction of basic fibroblast growth factor (bFGF) expression following focal cerebral ischemia (49) 255
- Lu, W. and Wolf, M.E.  
Expression of dopamine transporter and vesicular monoamine transporter 2 mRNAs in rat midbrain after repeated amphetamine administration (49) 137
- Lucites, V.L., see Johnson, M.P. (49) 1
- Lucas, L.R., see Pompei, P. (49) 149
- Marshall, R., see Buckland, P.R. (49) 266
- Maruta, E., Yabuuchi, K., Nishiyori, A., Takami, S., Minami, M. and Satoh, M.  
 $\beta_2$ -Adrenoceptors on the glial cells mediate the induction of interleukin-1 $\beta$  mRNA in the rat brain (49) 291
- Masliyah, E., see Komori, N. (49) 103
- Massi, M., see Pompei, P. (49) 149
- Matsuda, K., see Shioda, S. (47) 45
- Mauvais, C., see Quirin-Stricker, C. (49) 165
- McEwen, B.S., see Pompei, P. (49) 149
- McGuffin, P., see Buckland, P.R. (49) 266
- Minami, M., see Maruta, E. (49) 291
- Møller, M., see Helboe, L. (49) 82
- Morell, P., see Toews, A.D. (49) 113
- Morissette, M., Goulet, M., Soghomonian, J.-J., Blanchet, P.J., Calon, F., Bédard, P.J. and Di Paolo, T.  
Preproenkephalin mRNA expression in the caudate-putamen of MPTP monkeys after chronic treatment with the D<sub>2</sub> agonist U91356A in continuous or intermittent mode of administration: comparison with L-DOPA therapy (49) 55
- Morte, B., see Guadaño-Ferraz, A. (49) 37
- Nakai, Y., see Shioda, S. (47) 45
- Nakajo, S., see Shioda, S. (47) 45
- Nakaya, K., see Shioda, S. (47) 45
- Nakayama, H., see Shioda, S. (47) 45
- Nelson, D.L., see Johnson, M.P. (49) 1
- Neu, J.M. and Niles, L.P.  
A marked diurnal rhythm of melatonin ML<sub>1A</sub> receptor mRNA expression in the suprachiasmatic nucleus (49) 303
- Niles, L.P., see Neu, J.M. (49) 303
- Nishiyori, A., see Maruta, E. (49) 291
- Nørregaard, L., see Helboe, L. (49) 82
- Obata, H., Shimada, K., Sakai, N. and Saito, N.  
GABAergic neurotransmission in rat taste buds: immunocytochemical study for GABA and GABA transporter subtypes (49) 29
- Oka, T., see Shimada, J. (49) 295
- Osaka, H. and Sabban, E.L.  
Requirement for cAMP/calcium response element but not AP-1 site in fibroblast growth factor-2-elicited activation of tyrosine hydroxylase gene expression in PC12 cells (49) 222
- Paterno, G.D., Gillespie, L.L., Julien, J.-P. and Skup, D.  
Regulation of neurofilament L, M and H gene expression during retinoic acid-induced neural differentiation of P19 embryonal carcinoma cells (49) 247
- Poirier, J., see Thiffault, C. (49) 127
- Pompei, P., Lucas, L.R., Angeletti, S., Massi, M. and McEwen, B.S.  
In situ hybridization analysis of prepro-tachykinin-A and -B mRNA levels in short-term sodium depletion (49) 149
- Ponce, J., see Poyatos, I. (49) 63
- Poyatos, I., Ponce, J., Aragón, C., Giménez, C. and Zafra, F.  
The glycine transporter GLYT2 is a reliable marker for glycine-immunoreactive neurons (49) 63
- Quirin-Stricker, C., Mauvais, C. and Schmitt, M.  
Transcriptional activation of human choline acetyltransferase by AP2- and NGF-induced factors (49) 165
- Quirion, R., see Thiffault, C. (49) 127
- Ratray, M., see Guglielmetti, F. (49) 188
- Reuss, S., see Fehr, C. (49) 278
- Rivkees, S.A., see Bender, M. (49) 271
- Roe, E.B., see Toews, A.D. (49) 113
- Sabban, E.L., see Osaka, H. (49) 222
- Saito, N., see Obata, H. (49) 29
- Saitoh, T., see Komori, N. (49) 103
- Sakai, N., see Obata, H. (49) 29
- Sakata, K., Sato, K., Schloss, P., Betz, H., Shimada, S. and Tohyama, M.  
Characterization of glycine release mediated by glycine transporter 1 stably expressed in HEK-293 cells (49) 89
- Salton, S.R.J., see Snyder, S.E. (49) 307
- Salzet, M., Verger-Bocquet, M., Vandenbulcke, F. and Van Minnen, J.  
Leech egg-laying-like hormone: structure, neuronal distribution and phylogeny (49) 211
- Salzet, M., see Vandenbulcke, F. (49) 229
- Samanin, R., see Guglielmetti, F. (49) 188
- Sato, K., see Sakata, K. (49) 89
- Satoh, M., see Maruta, E. (49) 291
- Satta, M.A., see Jacobs, R.A. (49) 238
- Schiødt, M., see Helboe, L. (49) 82
- Schloss, P., see Sakata, K. (49) 89
- Schmitt, M., see Quirin-Stricker, C. (49) 165
- Shackelford, D., see Komori, N. (49) 103
- Shimada, J., Fushiki, S., Tsujimura, A. and Oka, T.  
Fibroblast growth factor-2 expression is up-regulated after denervation in rat lung tissue (49) 295
- Shimada, K., see Obata, H. (49) 29
- Shimada, S., see Sakata, K. (49) 89
- Shioda, S., Nakajo, S., Hirabayashi, T., Nakayama, H., Nakaya, K., Matsuda, K. and Nakai, Y.  
Neuronal nicotinic acetylcholine receptor in the hypothalamus: morphological diversity and neuroendocrine regulations (47) 45
- Skup, D., see Paterno, G.D. (49) 247
- Snyder, S.E., Li, J. and Salton, S.R.J.  
Comparison of VGF and *trk* mRNA distributions in the developing and adult rat nervous systems (49) 307
- Soghomonian, J.-J., see Morissette, M. (49) 55
- Stefano, G.B., see Vandenbulcke, F. (49) 229
- Stidsen, C.E., see Helboe, L. (49) 82
- Strack, S., Westphal, R.S., Colbran, R.J., Ebner, F.F. and Wadzinski, B.E.  
Protein serine/threonine phosphatase 1 and 2A associate with and dephosphorylate neurofilaments (49) 15
- Strauss, K.I., Kuźnicki, J., Winsky, L., Kawagoe, J.-I., Hammer, M. and Jacobowitz, D.M.  
The mouse calretinin gene promoter region: structural and functional components (49) 175
- Sun, G.Y., see Lin, T.N. (49) 255
- Synek, B., see Connor, B. (49) 283
- Synek, B., see Connor, B. (49) 71
- Takahashi, N. and Uhl, G.  
Murine vesicular monoamine transporter 2: molecular cloning and genomic structure (49) 7
- Takami, S., see Maruta, E. (49) 291
- Te, J., see Lin, T.N. (49) 255
- Thiffault, C., Quirion, R. and Poirier, J.  
The effect of L-deprenyl, D-deprenyl and MDL72974 on mitochondrial respiration: a possible mechanism leading to an adaptive increase in superoxide dismutase activity (49) 127
- Toews, A.D., Roe, E.B., Goodrum, J.F., Bouldin, T.W., Weaver, J., Goines, N.D. and Morell, P.  
Tellurium causes dose-dependent coordinate down-regulation of myelin gene expression (49) 113
- Tohyama, M., see Sakata, K. (49) 89
- Tsujimura, A., see Shimada, J. (49) 295
- Uhl, G., see Takahashi, N. (49) 7
- Vandenbulcke, F., Laurent, V., Verger-Bocquet, M., Stefano, G.B. and Salzet, M.  
Biochemical identification and ganglionic localization of leech angiotensin-converting enzymes (49) 229
- Vandenbulcke, F., see Salzet, M. (49) 211
- Van Minnen, J., see Salzet, M. (49) 211
- Vargiu, P., see Guadaño-Ferraz, A. (49) 37
- Verger-Bocquet, M., see Salzet, M. (49) 211
- Verger-Bocquet, M., see Vandenbulcke, F. (49) 229
- Wadzinski, B.E., see Strack, S. (49) 15
- Wainscott, D.B., see Johnson, M.P. (49) 1
- Watkins, P., see Buckland, P.R. (49) 266
- Weaver, J., see Toews, A.D. (49) 113
- Westphal, R.S., see Strack, S. (49) 15
- Wiesel, F.-A., see Coirini, H. (49) 197
- Williams, C., see Connor, B. (49) 283
- Winsky, L., see Strauss, K.I. (49) 175
- Wolf, M.E., see Lu, W. (49) 137
- Yabuuchi, K., see Maruta, E. (49) 291
- Yan, Q., see Connor, B. (49) 71
- Young, D., see Connor, B. (49) 71
- Zafra, F., see Poyatos, I. (49) 63
- Zivin, J.A., see Komori, N. (49) 103